


ProMinent Aquatics 2013 List Pricing

ProMinent®



 **Smart
Disinfection**
Low Impact | Less Cost | High Efficiency

DCM 500 Model Selection Guide		
Part Number	Description	List \$
7761461	DCM 500 Controller for pH, ORP and Temp	\$ 3,635.00
7761462	DCM 501 Controller for pH, ORP, Temp and Free Cl2 on Non-Stabilized (CYA) Water	\$ 4,695.00
7761463	DCM 502 Controller for pH, ORP, Temp, Free Cl2, Total Cl2 and Combined Cl2 on Non-Stabilized (CYA) Water	\$ 5,870.00
7761464	DCM 503 Controller for pH, ORP, Temp and Total Cl2 with CYA Stabilized Water	\$ 4,695.00
7761496	DCM 200 Controller for pH, ORP Only	\$ 2,030.00
7761503	DCM 200 Controller for pH, ORP Only for Salt Pools or the Presence of Hydrogen in the Water	\$ 2,030.00
TBD	DCM 300 Controller for pH, Free Cl2 Only (Release Date ~ TBD)	TBD
Additional options to the above controllers must be done via Equote. Pricing and new controller part number will be generated once DCM5 is configured. Below parts can be used for pricing but any factory installed addition on a controller order will require a configured part number other than above.		
Verify all pricing on configured or non-part numbered controllers before ordering. Prices are for reference / budget purposes only		

DCM Spare Parts Guide		
Model	Description	List \$
7500441	pH Sensor Glass Tip, Industrial Grade with SN6 Connector for 25 mm DGMa and 1/2" NPT	\$ 269.36
7500442	ORP Sensor Platinum Tip, Industrial Grade with SN6 connector for 25 mm DGMa and 1/2" NPT	\$ 321.36
1003875	ORP Sensor Gold Tip with SN6 Connector for 13.5 mm DGMa for Use with Salt Pools or Presence of Hydrogen in Water	\$ 244.48
1033011	SN6 to BNC Adaptor Cable for Sensor Retrofits on Non-Prominent Controllers with BNC Connection- 6 ft. Cable	\$ 59.49
1006895	BRE1 1-10 ppm Bromine Sensor	\$ 1,580.22
1033870	CLO 1-10 ppm Free Chlorine Sensor for Use with Salt Pools or Presence of Hydrogen in the Water	\$ 1,355.24
792842	CGE2 1-10 ppm Total Chlorine Sensor Used When Cyanuric Acid is Present in the Water	\$ 2,202.14
792919	CLE3 1-10 ppm Free Chlorine Sensor for Use in Pools Without Cyanuric Acid in the Water	\$ 1,039.42
740684	CTE1 1 - 10 ppm Total Chlorine Sensor	\$ 1,173.25
7781550	CTE GOLD TIP 1-10 ppm Total Chlorine Probe for Salt Pools or the Presence of Hydrogen in the Water	\$ 4,269.77
790488	Replacement Membrane Cap for CLE Sensor	\$ 178.46
792862	Replacement Membrane Cap for CTE, CGE, CTE Gold Tip and BRE1 Sensor	\$ 121.14
1035197	Replacement Cap for CLO Sensor	\$ 191.44
506270	Electrolyte for CLE Sensor	\$ 57.32
792892	Electrolyte for CTE Sensor CTE, CGE, CTE Gold Tip and BRE1 Sensor	\$ 57.32
1035191	Electrolyte for CLO sensor	\$ 56.24
740048	Replacement Membrane Kit for CTE, CGE, CTE Gold Tip and BRE1 Sensors- Includes Two Spare Tips and Electrolyte	\$ 298.52
7761452	Conductivity & Temperature Combination Sensor Upgrade	\$ 200.00
1031590	Water Level Control Switch. (Solenoid Valve Provided by Others)	\$ 78.00
Inquire w/Factory	Flow Meter for 1/2" to 4" Pipe for Direct Connection to DCM5. (Saddle Ordered Separately Below)	\$ -
7500509	Flow Meter for 5" to 8" Pipe for Direct Connection to DCM5. (Saddle Ordered Separately Below)	\$ 639.00
Inquire w/Factory	Flow Meter for 10" and greater pipe for direct connection to DCM5. (Saddle Ordered Separately Below)	\$ -
7500542	PVC Saddle for 2" PVC Pipe	\$ 242.00
7500543	PVC Saddle for 3" PVC Pipe	\$ 268.00
7500544	PVC Saddle for 4" PVC Pipe	\$ 305.21
7500545	PVC Saddle for 6" PVC Pipe	\$ 319.28
7500546	PVC Saddle for 8" PVC Pipe	\$ 473.00
7500547	PVC Saddle for 10" PVC Pipe	\$ 630.00
7500548	PVC Saddle for 12" PVC Pipe	\$ 632.00
7500504	3G Wireless Communication Module. Includes 1 yr. of Airtime and Wi-Fi Network. (Monthly Fees Apply After 1st yr.)	\$ 1,282.32
7500505	Booster Antenna for 3G service- 10 ft. Cable	\$ 69.68
7500507	High-Gain Booster Antenna for 3G service- 27 ft. Cable	\$ 190.32
7500550	Corrosion Monitoring System - Admiralty Brass	\$ 875.68
7500551	Corrosion Monitoring System - Carbon Steel	\$ 772.72
7500552	Corrosion Monitoring System - Copper	\$ 801.84
7500553	Corrosion Monitoring System - Stainless Steel	\$ 838.24
7500554	Corrosion Monitoring System - Cupro Nickel	\$ 875.68
7500567	DCM5 Input/Output Expansion Card Kit	\$ 197.60
7760707	CII Driver Card Kit	\$ 302.85
7746896	SGT Temperature Sensor/Water Ground	\$ 141.44

NOTE Confidential Price List. All pricing is subject to change without prior notice. All pricing is subject to ProMinent's standard terms and conditions.**

Dulcodes Medium Pressure UV

Model	Part #	# of lamps / lamp type	Power output [W]	Outdoor Pools Max. GPM @400J/m2	Combined CL2 Max. GPM @600J/m2	Flange Size	Phase	Voltage Available	FLA Amps	Phase	240V 1ph XFMR size KVA	240V 3ph XFMR size KVA	Chamber Weights- Dry/Wet Lbs
Dulcodes 1x1 Spa	7781580	1/1kW	1000	300	179	4"	3	480	6.5	3ph	n/a	n/a	46/82
Dulcodes 1X1A	7781581	1/1kW	1000	437	292	4"	1	208/240	7.5/6.5	1ph			46/82
Dulcodes 1x2S	7781552	1/2kW	2000	589	392	6"	3	208/240	7.6	7.6/7.6/3	5	7.5	68/128
Dulcodes 1X2A	7781582	1/2kW	2000	765	510	6"	1	208/240	12/10	1ph			68/128
Dulcodes 1x3S	7781553	1/3kW	3000	1170	779	8"	3	480	11.5	11.5/11.5/3	7.5	15	115/260
Dulcodes 1X3A	7781583	1/3kW	3000	1531	1020	8"	3	480	13	3ph			115/260
Dulcodes 1X3A	7781584	1/3kW	3000	1531	1020	8"	3	208/240	17/15	3ph			115/260
Dulcodes 2x2S	7781554	2/2kW	4000	1587	1057	8"	3	480	10.8	7.6/10.8/7.6	n/a	15	172/366
Dulcodes 2X2A	7781585	2/2kW	4000	2041	1360	8"	3	480	9	3ph			172/366
Dulcodes 2X2A	7781586	2/2kW	4000	2041	1360	8"	3	208/240	20/17	3ph			172/366
Dulcodes 2x3S	7781555	2/3kW	6000	2182	1453	10"	3	480	16.3	11.5/16.3/11.5	n/a	25	172/366
Dulcodes 2X3A	7781579	2/3kW	6000	3061	2041	10"	3	480	14	3ph			172/366
Dulcodes 2X3A	7781587	2/3kW	6000	3061	2041	10"	3	208/240	28/25	3ph			172/366
Dulcodes 3x3S	7781556	3/3kW	9000	3306	2202	12"	3	480	16.3	16.3/16.3/16.3	n/a	25	172/366
Dulcodes 3x3A	7781588	3/3kW	9000	4592	3061	12"	3	480	14	3ph			172/366
Dulcodes 3x3A	7781589	3/3kW	9000	4592	3061	12"	3	208/240	28/25	3ph			172/366

NOTE** Confidential Price List. All pricing is subject to change without prior notice. All pricing is subject to ProMinent's standard terms and conditions.

CO2 Sizing Chart

Pool Type	Surface Area	Pool Volume	Turnover Rate	Circulation Rate GPM	Outdoor Minimum scfh	ProMinent Co2	Indoor Minimum scfh	ProMinent Co2
Competition	3,400	150,000	5.5	455	50	CO2-200	19	CO2-50
	4,500	250,000	5.5	758	89	CO2-200	33	CO2-50
	6,200	325,000	5.5	985	107	CO2-200	40	CO2-200
	7,500	400,000	5.5	1,212	143	CO2-200	53	CO2-200
	12,600	750,000	5.5	2,273	250	(2ea) CO2-200	94	CO2-200
Leisure	3,000	75,000	2.0	625	25	CO2-50	9	CO2-50
	5,000	125,000	2.0	1,042	43	CO2-200	16	CO2-50
	7,000	200,000	2.0	1,667	71	CO2-200	26	CO2-50
Therapy	500	15,000	2.0	125	4	CO2-50	1.5	CO2-50
	1,000	30,000	2.0	250	11	CO2-50	4	CO2-50
	2,000	60,000	2.0	500	21	CO2-50	8	CO2-50
Spa	100	2,000	0.25	133	1	CO2-50	0.35	CO2-50
	200	4,000	0.25	267	2	CO2-50	0.75	CO2-50
	300	6,000	0.25	400	3.5	CO2-50	1.5	CO2-50

NOTE** Confidential Price List. All pricing is subject to change without prior notice. All pricing is subject to ProMinent's standard terms and conditions.

CO2 Feeders

Part Number	Description	Includes	List \$
7746991	CO2-50 FEED UNIT, 5-50 SCFH	Assembled and tested feeder, with 15' power cord, and Push To Connect fittings. Tubing provided separately	\$800.80
7746928	CO2-200 FEED UNIT, 20-200 SCFH	Assembled and tested feeder, with 15' power cord, and Push To Connect fittings. Tubing provided separately	\$806.00
7746992	CO2-50E FEED UNIT, 5-50 SCFH W/EDUCTOR	5-50 Feeder + 3/4" Venturi and 3/8OD x 1/4" FNPT adaptor, Tubing provided separately	\$949.00
7746993	CO2-50D FEED UNIT, 5-50 SCFH W/DIFFUSER	5-50 Feeder + CO2-D-L DIFFUSER LOW Tubing provided separately	\$832.00
7746931	CO2-200E FEED UNIT, 20-200 SCFH, w/EDUCTOR	2-200 feeder + 3/4" Venturi + 3/8OD x 1/4" FNPT adaptor Tubing provided separately	\$961.17
7747037	CO2 - 2 CYLINDER AUTO SWITCHOVER SYSTEM	CO2-2 CYLINDER MANIFOLD E2, P-T-C FITTING, 1/4" FNPT X 3/8" TUBE, REGULATOR, BRASS, 0-125PSI *Tubing provided separately	\$1,790.00
7747038	CO2 - 4 CYLINDER AUTO SWITCHOVER SYSTEM	CO2-4 CYLINDER MANIFOLD E4, P-T-C FITTING, 1/4" FNPT X 3/8" TUBE, REGULATOR, BRASS, 0-125PSI *Tubing provided separately	\$2,075.00
7747039	CO2 - 6 CYLINDER AUTO SWITCHOVER SYSTEM	CO2-6 CYLINDER MANIFOLD E6, P-T-C FITTING, 1/4" FNPT X 3/8" TUBE, REGULATOR, BRASS, 0-125PSI *Tubing provided separately	\$2,253.00
7747040	CO2 - 8 CYLINDER AUTO SWITCHOVER SYSTEM	CO2-8 CYLINDER MANIFOLD E8, P-T-C FITTING, 1/4" FNPT X 3/8" TUBE REGULATOR, BRASS, 0-125PSI *Tubing provided separately	\$2,430.00
7747036	REGULATOR, BRASS, 0-125PSI CGA320 1/4 MT	*Regulator only	\$236.00
7746943	CO2 HEATER, 120V, 60HZ	*Heater Only	\$319.44
7746926	CO2-D-L DIFFUSER LOW	DIFFUSER, AIR STONE, 1/8" MNPT + INJECTIONVALVE 3/8" PCB *NO tubing	\$55.00
7746942	CO2-E EDUCTOR UNIT	INJECTOR, PVDF, 3/4" MNPT + ADAPTER, 3/8" OD, 1/4" FNPT *NO tubing	\$106.00

NOTE** Confidential Price List. All pricing is subject to change without prior notice. All pricing is subject to ProMinent's standard terms and conditions.

Concept and Beta Pump Selection Guide

Part Number	Model Description	Output	List \$	Rebuild Kit	List \$
CNPA1002NPB2B0D01	Concept	13 gpd @ 140 psi	\$421.82	1001723	\$125.47
CNPA1003NPB2B0D01	Concept	17 gpd @ 145 psi	\$421.82	1001723	\$125.47
CNPA0704NPB200D01	Concept	25 gpd @ 102 psi	\$421.82	1025430	\$141.69
CNPA0308NPB2B0D01	Concept	51 gpd @ 54 psi	\$509.43	1001725	\$133.04
CNPA0215NPB2B0D01	Concept	95 gpd @ 28 psi	\$509.43	1001726	\$141.69
BT4B0220NPB2000UD010000	Beta4	120 gpd @ 29 psi	\$710.62	1001727	\$142.00
BT5B0420NPB2000UD010000	Beta5	109 gpd @ 58 psi	\$909.62	1023113	\$182.79
BT5B0232NPB0000UD010000	Beta5	203 gpd @ 29 psi	\$1,117.29	1001728	\$156.83
1031590	Concept Tank Level Switch	15 ft. cable	\$78.00	N/A	N/A
7792640	Beta Tank Level Switch	15 ft. cable	\$149.26	N/A	N/A

****Note**** All pumps are supplied with a head and internal parts suitable for standard strengths of sodium hypochlorite (~12%) and hydrochloric or sulfuric acid (~25%) typically used in swimming pool applications. If other concentrations or other chemicals are used, consult the factory for the proper head and internals material that are suitable for that particular application.

For PULSE control on Concept Pumps Replace 2nd to last number with B and add \$60.57 to list price. Example CNPA1002NPB2B0DB1

NOTE** Confidential Price List. All pricing is subject to change without prior notice. All pricing is subject to ProMinent's standard terms and conditions.

Single Wall Tank Selection Guide

Part Number	Volume	Dimensions O.D". x H"	List \$
791994	15 gallons	18 x 22	\$133.04
1001490	26 gallons	20 x 30	\$171.97
1023175	66 gallons	26 x 43	\$266.07
791997	132 gallons	32 x 47	\$537.56
7809688	220 gallons	42 x 41	\$1,301.16
7809687	300 gallons	43 x 59	\$1,586.71

NOTE** Confidential Price List. All pricing is subject to change without prior notice. All pricing is subject to ProMinent's standard terms and conditions.