





NOTES:

- 1. ALL PIPING AND FITTINGS SHALL BE 1/2" SCH. 80 PVC SOCKET WELD WITH VITON SEALS UNLESS OTHERWISE REQUIRED BY COMPONENTS.
- 2. ALL DIMENSIONS ARE IN INCHES AND ARE SHOWN FOR REFERENCE ONLY.



0 FIRST ISSUE GJS REV DESCRIPTION BY APPD REVD REVISIONS CUSTOMER PROMINENT FLUID CONTROLS INC. (PRE-ENGINEERED SYSTEM) JOB No 7749021 PURCHASE ORDER No

SS1-E_FLOOR_050_PVC\VITON_PD GENERAL ARRANGEMENT

THIS DRAWING IS THE PROPERTY OF PROMINENT FLUID CONTROLS INC. AND SHALL NOT BE COPIED OR TRANSFERRED WITHOUT THE WRITTEN CONSENT OF PROMINENT FLUID CONTROLS INC.





PITTSBURGH, PA USA		WWW.PROMINENT.US		
PROMINENT FLUID CONTROLS LTD.		PROMINENT FLUID CONTROLS INC.		
490 SOUTHGATE DRIVE.		RIDC PARK WEST		
GUELPH, ONTARIO, CANADA		136 INDUSTRY DRIVE,		
N1H 6J3		PITTSBURGH P.A., USA. 15275		
TEL. 519 836 5692	FAX. 519 836 5226	TEL. 4	12 787 2484	FAX. 412 787 0704
DESIGNED	GJS	APPROVED		
DRAWN	GJS	SCA	SCALE N.T.S.	
CHECKED	DTH	DAT	DATE 01/25/08	
			REV	PAGE
9021-200			_	4.14

60.00 50.00 8.25

DWG No

FRONT VIEW

MAXIMUM TESTING PRESSURE = 150 PSI MAXIMUM OPERATING PRESSURE = 102-232 PSI CHEMICAL SERVICE =

774