

NOTES:

- 1. ALL PIPING AND FITTINGS SHALL BE 1/2" SCH. 80 PVC SOCKET WELD WITH VITON SEALS UNLESS OTHERWISE REQUIRED BY COMPONENTS.
- 2. ALL DIMENSIONS ARE IN INCHES AND ARE SHOWN FOR REFERENCE ONLY.

0	01/	01/25/08				
REV	D.	DATE				
CUSTOMER PROM						
		(1				
JOB No						
TITL	SS′	1-				
THIS DRAWING IS T TRANSFERF						
ENGINEERS SEAL						
			-			
1			- 1			

BY APPD REVD REVISIONS MINENT FLUID CONTROLS INC. RE-ENGINEERED SYSTEM) 7749022 PURCHASE ORDER No -E_FLOOR_050_PVC\VITON_FM GENERAL ARRANGEMENT

FIRST ISSUE


DESCRIPTION

STHE PROPERTY OF PROMINENT FLUID CONTROLS INC. AND SHALL NOT BE COPIED OR RRED WITHOUT THE WRITTEN CONSENT OF PROMINENT FLUID CONTROLS INC.



GJS

PITTSBURGH, PA USA		WWW.PROMINENT.US			
PROMINENT FLUID CONTROLS LTD. 490 SOUTHGATE DRIVE. GUELPH, ONTARIO, CANADA N1H 6J3 TEL. 519 836 5692 FAX. 519 836 5226		RIDO 136 I PITT	PROMINENT FLUID CONTROLS INC. RIDC PARK WEST 136 INDUSTRY DRIVE, PITTSBURGH P.A., USA. 15275 TEL. 412 787 2484 FAX. 412 787 0704		
DESIGNED	GJS	APPROVED			
DRAWN	GJS	SCA	SCALE N.T.S.		
CHECKED	DTH	DAT	DATE 01/25/08		
9022-200			REV 0	PAGE 1/1	



60.00

50.00

FRONT VIEW

DWG No

MAXIMUM TESTING PRESSURE = 150 PSI MAXIMUM OPERATING PRESSURE = 102-232 PSI CHEMICAL SERVICE =

774