





46.00

43.00

8.25

FRONT VIEW





NOTES:

- 1. ALL PIPING AND FITTINGS SHALL BE 1/2" SCH. 80 CPVC SOCKET WELD WITH EPDM SEALS UNLESS OTHERWISE REQUIRED BY COMPONENTS.
- 2. ALL VALVES TO BE VENTED.
- 3. ALL DIMENSIONS ARE IN INCHES AND ARE SHOWN FOR REFERENCE ONLY.

0	02/11/08	FIRST ISSUE	GJS						
REV	DATE	DESCRIPTION	BY	APPD	REVD				
REVISIONS									
CUSTOMER PROMINENT FLUID CONTROLS INC.									

(PRE-ENGINEERED SYSTEM)

JOB No 7749224 PURCHASE ORDER No

> SS2-D FLOOR 050 CPVC\VITON-V DEGAS **GENERAL ARRANGEMENT**

THIS DRAWING IS THE PROPERTY OF PROMINENT FLUID CONTROLS INC. AND SHALL NOT BE COPIED OR TRANSFERRED WITHOUT THE WRITTEN CONSENT OF PROMINENT FLUID CONTROLS INC.

ENGINEERS SEAL

TITLE





	PITTS	SBURGH, PA USA	. \	WWW.PROMINI	ENT.US		
	PROMINENT FLUID CONTROLS LTD.			PROMINENT FLUID CONTROLS INC.			
	490 SOUTHGATE DRIVE.			RIDC PARK WEST			
	GUELPH, ONTARIO, CANADA			136 INDUSTRY DRIVE,			
	N1H 6J3		PITTSBURGH P.A., USA. 15275				
	TEL. 519 836 5692	FAX. 519 836 5226	TEL. 4	112 787 2484 F	FAX. 412 787 0704		
	DESIGNED	GJS	APP	ROVED			
	DESIGNED DRAWN	GJS GJS	APP SCA		N.T.S.		
			+	LE N	N.T.S. 2/11/08	-	
	DRAWN	GJS	SCA	LE N		-	
1	DRAWN	GJS DTH	SCA	LE N	/11/08	-	

MAXIMUM TESTING PRESSURE = 150 PSI MAXIMUM OPERATING PRESSURE = 29-232 PSI CHEMICAL SERVICE =

774